MEGA HANDLES

Catalog 2023





Mega Handles




























Contents

	About	4
	Collections/Entrance/Tobelle	14
	Collections/Entrance/Robell	22
e_	Collections/Entrance/Raegen	32
	Collections/Door Levers/Schein	42
	Collections/Door Levers/Prime	52
	Collections/Door Levers/Glamor	64
	Collections/Door Levers/Ralph	74

Contents



Installation Guides

140




Mega Handles

- · Quality workmanship
- · Effective craftsmanship
- Expertise in conceptualization

These are all keys that unlock the door to exceptional and remarkable door hardware.

Along with reasonable rates and trustworthy customer service, **Mega Handles is a great choice for your projects.**






A lifetime workmanship warranty accompanies each product to ensure customer satisfaction on all fronts.

- Quality
- Service
- Affordability



Quality Workmanship

Hardware is a beautifully complex world. A lot of hard work and skill go into creating a simple door knob or handle. The basic elements of a door handle include:



Rosette: The plate that is fashioned for attachment to the surface of a door

Lever/Knob: The part that is grasped by the hand.



When producing door hardware, many concepts must be considered.

Aside for appearance, parts of each element must be carefully contemplated.

- Shape
- Size
- Tactile features



Typical design features include:

- Smooth edges
- An easily grasped shape that can turn effortlessly
- · A textured finish or non-slip coating for easy latching
- A long shaft that can comfortably fit a hand behind the knob

Our production team strives to construct well-built and long-lasting pieces to be available for our valued customers.

Effective Craftsmanship


Creating new designs involves a fascinating process.



An idea is researched, processed and sketched



Exact dimensions, formulas and techniques are evaluated






A two-dimensional model is generated using design software



A three-dimensional prototype is fabricated





Manufacturing begins

At this point, the custom handles are put into the hands of expert craftsmen, who begin the casting process, which is handcrafted skillfully.







The molten metal is poured into hollow molds and left to harden



The handles go through various finishing treatments done by hand





The final product gets professionally polished



The parts are assembled together



A group of professionals check to ensure that all parts of the handle work perfectly.








A thorough inspection checks the durability and strength of the product, enabling its use in many different conditions including:

- Heat
- · Cold
- Rain
- · General wear and tear



Each piece is inspected to confirm that it does not have any blemishes or rough edges. Throughout the entire process, professionals keep checking to ensure that everything is running smoothly **so that our customers are presented with premium quality and aesthetic hardware**.



Constantly Brainstorming

When one door closes, the next one opens.

- Just after finalizing a custom design, the team continues on with planning fresh, new ideas.
- As soon as a new product is tested, work is in progress on improving current projects.
- Immediately after launching new ideas, research begins on the next one.

By knocking on the door to opportunity, many beautiful concepts, ideas and improvements are discovered.

Mega Handles is constantly on the lookout to ensure that our customers are perfectly satisfied. To do so effectively, we stand behind our products to ensure 100% satisfaction by presenting lifetime workmanship warranty on each of our products.

In collaborating with many hardware businesses, door companies, contractors, developers, and interior designers, we strive to provide them with premium quality handles at affordable rates.



Final Result

Customers benefit greatly from using Mega Handles hardware for their projects.

Every single Mega Handles product is

- · Well-built
- Strong mechanical durability
- · Zinc-casted hardware
- Constructed to last


Mega Handles is a trusted source for high quality hardware.

The lifetime workmanship warranty has got you covered on any issues that may arise. Customer service representatives are committed to providing you with the support and help you need.



If you're looking for an easy and efficient way to start your project, Mega Handles provides a stress-free solution without the usual hassles involving hardware.

The prices are comparable to the cheaper lines, while the products are extremely high-quality, comparable to more expensive companies.




We offer constant customer service, and there's guaranteed to be someone you can talk to if you need assistance answering any questions.

With great customer service, simple installation and quality hardware at cheaper price points, Mega Handles is the stress-free way to get your project done right.

SHARP AND ATTRACTIVE



The TOBELLE collection consists of a beautifully crafted outdoor entrance piece, a deadbolt lock and a handle. The handle comes in a few different styles to match some of the other collections. Its long shape and delicate style make a statement to the entrance way. The design was created to look sharp, sophisticated and attractive. The intricate details give it a graceful and refined appearance, which creates the perfect welcoming atmosphere.





TOBELLE COLLECTION

Tobelle Straight MB Model #: ENE4MB

Tobelle Square MB Model #: ENE7MB







Tobelle Square SB Model #: ENE7SB







Tobelle Square SN Model #: ENE7SN







Tobelle Straight MB Model #: ENE4MB








Tobelle Straight SB Model #: ENE4SB







Tobelle Straight SN Model #: ENE4SN







Specification for Tobelle Square

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Entrance 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4" **Screws:** 304 Stainless Steel


Door Thickness: 1 3/8" - 1 3/4" Standard Doors

Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Lever: Zinc Alloy Straight Shape with 5" Length Cylinder: Solid Brass/ 5 Pin/ Rekey Function

Reversible: Fits Right and Left Doors Rosette: Square Shape/ Zinc Material



Specification for Tobelle Straight

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Entrance 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4" **Screws:** 304 Stainless Steel


Door Thickness: 1 3/8" - 1 3/4" Standard Doors

Handing: Non-Handed


ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Lever: Zinc Alloy Straight Shape with 5" Length Cylinder: Solid Brass/ 5 Pin/ Rekey Function


Reversible: Fits Right and Left Doors Rosette: Square Shape/ Zinc Material



SYMMETRICAL AND BALANCED



The ROBELL collection introduces a unique square design that is sharp, distinct and beautiful. The right-angled style and thick rectangular lever give it a well-balanced and robust appearance. The lever was designed with a perfect square shaft, which gives it a sturdy and practical look. It produces a trustworthy feeling of security which is great for its purpose of entrance doorways.





Robell Single MB Model #: ENE1MB







Robell Single SB Model #: ENE1SB







Robell Single SN Model #: ENE1SN







Robell Deadbolt MB Model #: DBE9MB







Robell Deadbolt SB Model #: DBE9SB







Robell Deadbolt SN Model #: DBE9SN







Robell Combo MB Model #: ENE2MB




See specifications on page 115








Robell Combo SB Model #: ENE6SB







Robell Combo SN Model #: ENE6SN









Specification for Robell Single

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Entrance 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4"
Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Lever: Zinc Alloy Straight Shape with 5" Length **Cylinder:** Solid Brass/ 5 Pin/ Rekey Function

Reversible: Fits Right and Left Doors

Rosette: Square Shape / Zinc Material / 2.5" x 2.5"



Specification for Robell Deadbolt

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Deadbolt: 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4"

Screws: 304 Stainless Steel

Door Thickness: 13/8" - 13/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Cylinder: Solid Brass/ 5 Pin/ Rekey Function

Reversible: Fits Right and Left Doors

Rosette: Square Shape / Zinc Material / 2.5" x 2.5"



Specification for Robell Combo

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4"

Latch: Entrance + Deadbolt 2 3/8" and 2 3/4"

Faceplate: 2" x 2 1/4"
Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Lever: Zinc Alloy Straight Shape with 5" Length **Cylinder:** 2x Solid Brass/5 Pin/Rekey Function

Reversible: Fits Right and Left Doors

Rosette: Square Shape/ Zinc Material/2.5" x 2.5"



Collections/Entrance/Raegen


STYLISH AND SPHERICAL


Collections/Entrance/Raegen



The RAEGEN collection is composed of a round rosette and a cylindrical lever. Its overall roundness generates a feeling of security and protection. Circular shapes are soft, mild and friendly in characteristic which will award your room with a supremely pleasurable aura when implemented. In combining the round effect in both the rosette and the lever, the subdued, understated look gets magnified, which subconsciously adds a soothing whisper to the ambiance of the room.

Collections/Entrance/Raegen





Raegen Single MB Model #: END5MB








Raegen Single SB Model #: END5SB







Raegen Single SN Model #: END5SN







Raegen Deadbolt MB Model #: DBD8MB







Raegen Deadbolt SB Model #: DBD8SMB







Raegen Deadbolt SN Model #: DBD8SN








Raegen Combo MB Model #: END6MB








Raegen Combo SB Model #: END6SB









Specification for Raegen Single

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Entrance 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4"
Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Lever: Zinc Alloy Round Shape with 5" Length **Cylinder:** Solid Brass/5 Pin/ Rekey Function

Reversible: Fits Right and Left Doors

Rosette: Round Shape / Zinc Material / 2.75" Diameter



Specification for Raegen Deadbolt

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Deadbolt: 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4"
Screws: 304 Stainless Steel

Door Thickness: 13/8" - 13/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Cylinder: Solid Brass/ 5 Pin/ Rekey Function

Reversible: Fits Right and Left Doors

Rosette: Round Shape / Zinc Material / 2.6" Diameter



Rekey

Master Key

Specification for Raegen Combo

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4"

Latch: Entrance + Deadbolt 2 3/8" and 2 3/4"

Faceplate: 2" x 2 1/4" **Screws:** 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Lever: Zinc Alloy Round Shape with 5" Length Cylinder: 2x Solid Brass/5 Pin/Rekey Function

Reversible: Fits Right and Left Doors


Rosette: Round Shape/ Zinc Material / 2.75" Diameter




DISTINCT AND ATTRACTIVE



The SCHEIN collection was influenced by a desire to construct a more dynamic and energetic structure. The lever is shaped like an isosceles triangle, with the narrow head pointing inwards, which initiates a welcoming invitation and an amiable spirit. The unique lever shape achieves a contemporary and simplistic style, yet is still different enough to give an individual appearance that is distinctive and attractive. The shaft has an exquisitely crafted moon shaped cut which adds elegance and flawlessly balances the various elements.








Schein Entry MB Model #: SE9NMB







Schein Entry SB Model #: SE9NSB







Schein Entry SN Model #: SE9NSN








Schein Privacy MB Model #: BSRE3RMB






Schein Privacy SB Model #: BSRE3RSB





Schein Privacy SN Model #: BSRE3RSN






Schein Passage MB Model #: BSRE3AMB





Schein Passage SB Model #: BSRE3ASB






Schein Passage SN Model #: BSRE3ASN






Schein Dummy MB Model #: BSRE3UMB





Schein Dummy SB Model #: BSRE3USB





Schein Dummy SN Model #: BSRE3USN





Specification for Schein Entry

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Entry 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4"
Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Lever: Zinc Alloy Angled Shape with 5" Length **Cylinder:** Solid Brass/5 Pin/ Rekey Function

Reversible: Fits Right and Left Doors

Rosette: Square Shape / Zinc Material / 2.5" x 2.5"



Rekey Rey-alike Master Key

Specification for Schein Privacy, Passage, Dummy

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4"

Latch: Privacy, Passage 2 3/8" and 2 3/4"

Faceplate: 2" x 2 1/4"

Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Lever: Zinc Alloy Angled Shape with 5" Length

Reversible: Fits Right and Left Doors

Rosette: Square Shape/Zinc Material/ 2.6" x 2.6"







BOLD AND SHARP



The PRIME collection introduces an innovative design that is pure, sharp and distinct. There is nothing excessive about the composition; which contains a sleek linear cut and a slightly curved edge. The geometric style of a straight horizontal lever with a square right-angled rosette makes it a minimalistic, yet timeless work of art. The smooth shape presents a smart approach to its complex elements, combining the rosette and lever into a seamless composition.





Prime Passage SN Model #: SLE2ASN

Prime Entry MB Model #: PE3NMB









Prime Entry SB Model #: PE3NSB








Prime Entry SN Model #: PE3NSN







Prime Privacy MB Model #: SLE2RMB





Prime Privacy SB Model #: SLE2RSB





Prime Privacy SN Model #: SLE2RSN







Prime Passage MB Model #: SLE2AMB





Prime Passage SB Model #: SLE2ASB






Prime Passage SN Model #: SLE2ASN






Prime Dummy MB Model #: SLE2UMB





Prime Dummy SB Model #: SLE2USB





Prime Dummy SN Model #: SLE2USN






Collections/Door Levers/Prime (4.29" lever, covered screws)

Prime Privacy SB (4.29" lever) Model #: SLE4RSB






Prime Passage SB (4.29" lever) Model #: SLE4ASB






Prime Dummy SB (4.29" lever) Model #: SLE4USB





Collections/Door Levers/Prime Select (4.29" lever, exposed screws)


Prime Select Privacy SB Model #: SLE3USB






Prime Select Passage SB Model #: SLE3ASB





Prime Select Dummy SB Model #: SLE3ASN





Specification for Prime Entry

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Entry 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4"
Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Lever: Zinc Alloy Straight Shape with 5" Length **Cylinder:** Solid Brass/5 Pin/ Rekey Function

Reversible: Fits Right and Left Doors

Rosette: Square Shape / Zinc Material / 2.5" x 2.5"



Rekey Rey-alike Master Key

Specification for Prime Privacy, Passage, Dummy

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4"

Latch: Privacy, Passage 2 3/8" and 2 3/4"

Faceplate: 2" x 2 1/4"

Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Lever: Zinc Alloy Straight Shape with 5" Length

Reversible: Fits Right and Left Doors

Rosette: Square Shape / Zinc Material / 2.5" x 2.5"



Specification for Prime (4.29" lever) and Prime Select (4.29" lever)

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Entry 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4"
Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Lever: Zinc Alloy Angled Shape with 4.29" Length

Reversible: Fits Right and Left Doors


Rosette: Square Shape / Zinc Material / 2.5" x 2.5"



DELUXE AND SOPHISTICATED



The GLAMOR collection is as sterling and understated, as it is luxurious and magnificent. The rectangular rosette will impart volume to your door, disclosing a modern and exquisite undertone. The heart of the design lies in the rosette, offering added elegance to the doorway. Its narrow, straight lever adds modernity and nobility to the handle in a simple yet cutting edge approach. The symmetrical and balanced impression was generated by constructing two contrasting shapes and assembling them together.





Glamor Entry MB Model #: GG5NMB








Glamor Entry SB Model #: GG5NSB








Glamor Privacy MB Model #: GG5RMB





Glamor Privacy SB Model #: GG5RSB






Glamor Passage MB Model #: GG5AMB





Glamor Passage SB Model #: GG5ASB






Collections/Door Levers/Glamor


Glamor Dummy MB Model #: GG5UMB





Glamor Dummy SB Model #: GG5USB





Collections/Door Levers/Glamor

Specification for Glamor Entry

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Entry 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4"
Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Lever: Zinc Alloy Straight Shape with 5" Length **Cylinder:** Solid Brass/5 Pin/ Rekey Function

Reversible: Fits Right and Left Doors

Rosette: Rectangle Shape / Zinc Material / 2.5" x 4"



Rekey Skey-alike

Master Key

Specification for Glamor Privacy, Passage, Dummy

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4"

Latch: Privacy, Passage 2 3/8" and 2 3/4"

Faceplate: 2" x 2 1/4"

Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Lever: Zinc Alloy Straight Shape with 5" Length

Reversible: Fits Right and Left Doors

Rosette: Rectangle Shape / Zinc Material / 2.5" x 4"







CURRENT AND GRACEFUL



The RALPH collection consists of a fresh, cutting-edge, and distinctive design. The composition, which has a smooth linear cut and a slightly curved edge, is restrained and not overdone. It is a geometrically simple yet classic piece of art, with a straight horizontal lever and a round rosette. The rounded form employs a clever strategy to combine the lever and rosette into a single continuous composition. The straight lever in combination with the round rosette will certainly give your room a contemporary vibe.





Ralph Privacy MB Model #: RPD5RMB

Ralph Entry MB Model #: RPD5NMB







Ralph Entry SB Model #: RPD5NSB







Ralph Entry SN Model #: RPD5NSN









Ralph Privacy MB Model #: RPD5RMB





Ralph Privacy SN Model #: RPD5RSN





Ralph Privacy SN Model #: RPD5RSN





Ralph Passage MB Model #: RPD5AMB





Ralph Passage SB Model #: RPD5ASB





Ralph Passage SN Model #: RPD5ASN






Ralph Dummy MB Model #: RPD5UMB





Ralph Dummy SB Model #: RPD5USB





Ralph Dummy SN Model #: RPD5USN





Specification for Ralph Entry

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Entrance 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4"
Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Lever: Zinc Alloy Straight Shape with 5" Length **Cylinder:** Solid Brass/5 Pin/ Rekey Function

Reversible: Fits Right and Left Doors

Rosette: Round Shape / Zinc Material / 2.75" Diameter



Rekey

Master Key

Specification for Ralph Privacy,Passage, Dummy

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4"

Latch: Privacy, Passage 2 3/8" and 2 3/4"

Faceplate: 2" x 2 1/4"

Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors


Handing: Non-Handed


ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Lever: Zinc Alloy Straight Shape with 5" Length

Reversible: Fits Right and Left Doors

Rosette: Round Shape / Zinc Material / 2.75" Diameter






CIRCULAR AND CHIC



The RONN collection is an illustration of calmness and peace. It consists of a cylindrical lever and a round rosette. Its general roundness evokes feelings safety and protection. When used, circular forms will give your room a pleasant ambiance because they are gentle, mild, and inviting in nature. The subtle, modest appearance is emphasized by combining the round effects of the rosette and the lever, which subtly changes the atmosphere of the space by adding a calming whisper.





Ronn Privacy SB Model #: RLD4RSB

The Ronn Entry Handle is called Raegen Single

Raegen Single MB Model #: END5MB








Raegen Single SB Model #: END5SB







Raegen Single SN Model #: END5SN







Ronn Privacy MB Model #: RLD4RMB





Ronn Privacy SB Model #: RLD4RSB





Ronn Privacy SN Model #: RLD4RSN






Ronn Passage MB Model #: RLD4AMB





Ronn Passage SB Model #: RLD4ASB





Ronn Passage SN Model #: RLD4ASN





Ronn Dummy MB Model #: RLD4UMB





Ronn Dummy SB Model #: RLD4USB





Ronn Dummy SN Model #: RLD4USN





Specification for Raegen Single

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Entrance 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4"
Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Lever: Zinc Alloy Round Shape with 5" Length **Cylinder:** Solid Brass/5 Pin/ Rekey Function

Reversible: Fits Right and Left Doors

Rosette: Round Shape / Zinc Material / 2.75" Diameter



Rekey

Master Key

Specification for Ronn Privacy,Passage, Dummy

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4"

Latch: Privacy, Passage 2 3/8" and 2 3/4"

Faceplate: 2" x 2 1/4"

Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Lever: Zinc Alloy Cylinder Shape with 5" Length

Reversible: Fits Right and Left Doors

Rosette: Round Shape / Zinc Material / 2.75" Diameter






SUBTLE AND TASTEFUL



The BUENA collection portrays peacefulness and gives over a soothing impression. It is comprised of a round rosette and a circular knob. Its general roundness creates an aura of confidence and dependence. Spherical shapes are subtle, light and warm in characteristic, granting a delightful aura to the room it's intended for. By integrating spherical qualities to both the rosette and the knob, the peaceful attributes are intensified, thereby increasing the tranquil feeling that these shapes bring about.





Buena Entry MB Model #: KHD6NMB







Buena Entry SB Model #: KHD6NSB








Buena Privacy MB Model #: KHD8RMB





Buena Privacy SB Model #: KHD8RSB







Buena Passage MB Model #: KHD8AMB






Buena Passage SB Model #: KHD8ASB






Buena Dummy MB Model #: KHD8UMB





Buena Dummy SB Model #: KHD8USB





Specification for Buena Entry

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Entry 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4"
Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Knob: Zinc Alloy Round Shape with 2.2" Diameter

Cylinder: Solid Brass/5 Pin/ Rekey Function

Reversible: Fits Right and Left Doors **Rosette:** Round Shape 2.75" Diameter



Rekey Rey-alike

Master Key

Specification for Buena Privacy, Passage, Dummy

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Entry 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4"
Screws: 304 Stainless Steel


Door Thickness: 1 3/8" - 1 3/4" Standard Doors

Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements


Knob: Zinc Alloy Round Shape with 2.2" Diameter

Reversible: Fits Right and Left Doors **Rosette:** Round Shape 2.75" Diameter








MODERN AND REFINED



The square rosette of the SUANA collection gives it an aura of trust and stability, while its round knob gives it a more friendly appearance. The mixture of square and round create a well-balanced effect that is both pleasing to the eye, and encompasses a contemporary elegance. Its refined style and sophisticated look achieve a well-rounded impression while still adding an up-to-date look to your home.









Suana Entry MB Model #: KHE6NMB







Suana Entry SB Model #: KHE6NSB







Suana Entry SN Model #: KHE6NSN







Suana Privacy MB Model #: KHE8RMB






Suana Privacy SB Model #: KHE8RSB





Suana Privacy SN Model #: KHE8RSN





Suana Passage MB Model #: KHE8AMB





Suana Passage SB Model #: KHE8ASB






Suana Passage SN Model #: KHE8ASN





Suana Dummy MB Model #: KHE8UMB





Suana Dummy SB Model #: KHE8USB





Suana Dummy SN Model #: KHE8USN





Specification for Suana Entry

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Entry 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4"
Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors

Handing: Non-Handed


ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Knob: Zinc Alloy Round Shape with 2.2" Diameter

Cylinder: Solid Brass/5 Pin/ Rekey Function

Reversible: Fits Right and Left Doors

Rosette: Square Shape 2.5" x 2.5"



Rekey Key-alike Master Key

Specification for Suana Privacy, Passage, Dummy

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Entry 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4"
Screws: 304 Stainless Steel


Door Thickness: 1 3/8" - 1 3/4" Standard Doors

Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements


Knob: Zinc Alloy Round Shape with 2.2" Diameter

Reversible: Fits Right and Left Doors **Rosette:** Square Shape 2.6" x 2.6"







LUXURIOUS AND ELEGANT



The LAURA collection is sterling and understated, as well as luxurious and magnificent. Your door will gain volume from the rectangular rosette, which reveals a sophisticated and contemporary undertone. The heart of the design lies in the rosette, offering added elegance to the doorway. Its simple, round knob adds modernity and nobility to the handle in a simple yet cutting edge approach. The symmetrical and balanced impression was generated by constructing two contrasting shapes and assembling them together.








Laura Entry MB Model #: LG4NMB








Laura Entry SB Model #: LG4NSB









Laura Privacy MB Model #: LG7RMB





Laura Privacy SB Model #: LG7RSB





Laura Passage MB Model #: LG7AMB






Laura Passage SB Model #: LG7ASB






Laura Dummy MB Model #: LG7UMB





Laura Dummy SB Model #: LG7USB





Specification for Laura Entry

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Entry 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4"
Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors

Handing: Non-Handed


ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Knob: Zinc Alloy Round Shape with 2.2" Diameter

Cylinder: Solid Brass/5 Pin/ Rekey Function

Reversible: Fits Right and Left Doors

Rosette: Rectangle Shape / Zinc Material / 2.5" x 4"



Rekey Key-alike Master Key

Specification for Laura Privacy,Passage, Dummy

Door Prep: Cross Bore: 2 1/8" / Edge Bore: 1"

Backset: Fits 2 3/8" and 2 3/4" **Latch:** Entry 2 3/8" and 2 3/4"

Faceplate: 1" x 2 1/4"
Screws: 304 Stainless Steel

Door Thickness: 1 3/8" - 1 3/4" Standard Doors


Handing: Non-Handed

ANSI/BHMA: Exceeds ANSI/BHMA Grade 3 Requirements

Knob: Zinc Alloy Round Shape with 2.2" Diameter

Reversible: Fits Right and Left Doors

Rosette: Rectangle Shape / Zinc Material / 2.5" x 4"






SIMPLE AND AND MODERN



The CANARA collection is composed of a simple cylindrical bar which can be screwed on horizontally or vertically on your cabinet or drawer. Either way, it will give your kitchen or bathroom a refined and contemporary look. Its roundness gives it a mild and soft representation, which is just the right feeling you would want portrayed in your kitchen, study or bathroom.





Canara 5" MB Model #: RC5MB-35

Canara 5" MB (Packs: 35, 25, 15) Model #: RC5MB (-35, -25, -15)



Canara 6" MB Model #: RC6MB-35



Canara 6" MB Model #: RC7MB-35



Canara 5" SB (Packs: 35, 25, 15) Model #: RC5SB (-35, -25, -15)



Canara 6" SB Model #: RC6SB-35



Canara 6" SB Model #: RC7SB-35




Canara 5" SN (Packs: 35, 25, 15) Model #: RC5SN (-35, -25, -15)



Canara 6" SN Model #: RC6SN-35




Canara 6" SN Model #: RC7SN-35




Specification for Canara 5"

Cabinet Pull Length: 5" Drilling Distance: 3"




Specification for Canara 6"

Cabinet Pull Length: 6" Drilling Distance: 3.75"



Specification for Canara 7.38"

Cabinet Pull Length: 7.38" Drilling Distance: 5"



Collections/Cabinet Pulls/Fargo

Fargo 5.5" MB (Packs: 35, 25, 12) Model #: SC5MB (-35, -25, -12)



Fargo 4.25" MB Model #: SC4MB-12



Fargo 6.75" MB Model #: SC6MB-12



Fargo 5.5" SB (Packs: 35, 25, 12) Model #: SC5SB (-35, -25, -12)



Fargo 5.5" SN (Packs: 35, 25, 12) Model #: SC5SN (-35, -25, -12)






Collections/Cabinet Pulls/Fargo


Specification for Fargo 5.5"

Cabinet Pull Length: 5.5" Drilling Distance: 5"




Specification for Fargo 4.25"

Cabinet Pull Length: 4.25" Drilling Distance: 3.75"



Specification for Fargo 6.75"

Cabinet Pull Length: 6.75" Drilling Distance: 6.25"



Accessories

DOOR ACCESSORIES

Accessories



Along with premium door hardware, Mega Handles customers benefit from the luxurious and superior quality door accessories line. Door stoppers, transom chains and different style strikes, are all polished with the exact same color finishes as the levers and knobs. This ensures that setting up your customers with accessories that match perfectly to their door handles is an easy and stress free process.

Accessories/Door Stoppers

Door Stopper MB Model #: DS3MB





Door Stopper SB Model #: DS3SB





Door Stopper SN Model #: DS3SN






Accessories/Door Stoppers

Specification for Door Stoppers


Door Stopper Height: 2" Door Stopper Width: 1" Screw Length: 4"



Accessories/Transom Chains

Transom Chain MB Model #: DC1MB





Transom Chain SB Model #: DC1SB





Transom Chain SN Model #: DC1SN





Transom Chain PC Model #: DC1PC






Accessories/Transom Chains


Specification for Transom Chains

Chain Length: 12"



Accessories/T-Strikes

T-Strike MB Model #: TS2MB



T-Strike SB Model #: TS2SB




T-Strike SN Model #: TS2SN



Specification for T-Strikes

Strike Width: 1.83" Strike Length: 2.76" Latch Hole Width: .67" Latch Hole Length: 1.22"



Accessories/Asa Strikes

Asa Strike MB Model #: AS2MB



Asa Strike SB Model #: AS2SB




Asa Strike SN Model #: AS2SN




Specification for Asa Strikes

Strike Width: 1.85" Strike Length: 4.88" Latch Hole Width: .68" Latch Hole Length: 1.24"





Installation Guide - Tobelle









































Installation Guide - Entry Handle






















Installation Guide - Deadbolt

























Installation Guide - Exposed Screw Lever






















Installation Guide - Covered Screw Passage, Privacy Lever






















Installation Guide - Covered Screw Dummy Lever






















Installation Guide - Covered Screw Passage, Privacy Knob






















Installation Guide - Covered Screw Dummy Knob



















www.megahandles.com