


CitiLoc® EZSET® RESIDENTIAL




Always Striving.
philhardware.com

Securitu Features

200B Series ANSI Grade 3 Certified Deadbolt

(ANSI/BHMA A156.36-2010) for Auxiliary Locks


Product meets and exceeds ANSI Grade 3 requirements for auxiliary locks



500T Series ANSI Grade 3 Certified Leverset


(ANSI/BHMA A156.2-2011) for bored & preassembled locks & latches

Product meets and exceeds ANSI Grade 3 requirements for single-point locks and latches



Functions

400 Series Handleset – ANSI A156.2, Series 4000, Grade 3



400 Single Cylinder Handleset

Deadbolt thrown or retracted by key from outside or by inside turnpiece. Latch retracted by thumbpiece from outside or by inside knob/lever.

400 Single Cylinder Interconnected Handleset (ANSI F102)

Deadbolt thrown or retracted by key from outside or by inside turnpiece. Latch retracted by thumbpiece from outside or by inside knob/lever. Both deadbolt and latch bolt are retracted to unlocked position by operating inside lever.


410 Double Cylinder Handleset

Deadbolt thrown or retracted by key from either side. Latch retracted by thumbpiece from outside or by inside knob/lever.

405 Dummy Handleset

For use as door pull or as dummy trim on inactive leaf of double door. Fixed thumbpiece and inside knob/lever. Dummy cylinder with inside plate.

500T Series Lever Lock – ANSI A156.2, Series 4000, Grade 3



500T Entrance

Turn button lock/unlock outside lever. Key lock/unlock from outside.

500TP Entrance (Push Button)

Push inside button locks outside lever. Key lock/unlock from outside. Unlock by push down inside lever.

501T Passage

Both levers always unlocked.

502T Privacy

Turn inside button locks outside lever. Can be opened from outside using outside turn mechanism.

502TP Privacy (Push Button)


Turn inside button locks outside lever. Can be opened from outside using outside turn mechanism. Unlock by push down inside lever.

515T Dummy

Dummy trim for one side on door. Used for door pull or matching inactive trim.



100T Series Knob Lock – ANSI A156.2, Series 4000, Grade 3



100T Entrance

Turn button lock/unlock outside knob. Key lock/unlock from outside.

101T Passage

Both knobs always unlocked.


102T Privacy

Turn inside button locks outside knob. Can be opened from outside using outside turn mechanism.

115T Dummy

Dummy trim for one side on door. Used for door pull or matching inactive trim.

200 Series Deadbolt Lock – ANSI A156.36, Grade 3



200 Single Cylinder

Deadbolt thrown or retracted by key from outside or by inside turnpiece.

210 Double Cylinder

Deadbolt thrown or retracted by key from either side.


205 One-sided Half-Bore

Deadbolt thrown or retracted by thumbpiece from inside.

206 One-sided Full-Bore

Deadbolt thrown or retracted by thumbpiece from inside. Cover plate outside.

300 Series Interconnected Locks – ANSI A156.12, Grade 2



301 Entrance Single Locking, ANSI F95

Latch bolt operated by lever from either side. Deadbolt operated by turn from inside or key from outside. Operating inside lever retracted both deadbolt and latch bolt.

300 Entrance Double Locking, ANSI F97

Deadbolt operated by key from outside or by turnpiece inside. Deadlatch is locked by key from outside or by push button from inside. Turn inside lever to release deadbolt and latchbolt simultaneously for immediate exit. Latch deadlocks when door is closed.

304 Storeroom Double Locking, ANSI F98

Deadbolt operated by key from outside or by turnpiece inside. Outside lever is fixed, entrance by key only. Turn inside lever to release deadbolt and latchbolt simultaneously for immediate exit. Latch deadlocks when door is closed.

Whether you are a first time homeowner or you are planning to update your existing home, you will be satisfied with what we offer at **Philadelphia Hardware Group Inc.** Our commitment is to provide a complete range of hardware products of exceptional value, great pricing and America's best selling styles. **PHG** has a wide selection of styles and finishes to fit all your building needs.

If you would like to learn more about **PHG's** product lines, please call us today. Our professional staff is available to assist you Monday through Friday, 8 am - 5 pm PST. We look forward to providing you with products and services at a level beyond your highest expectations.



Pick Resistant



Bump Resistant



Pry Resistant


deadbolt dimensions



200PLC



200PLR



TOUCHPAD / RFID LOCKS


keypad features

- Provides the convenience of keyless access.
- Operate by RFID card, Touchpad or mechanical key.
- Auto locking function.
- Auto latch bolt locking detection prevents any incomplete door locking.
- Powered by Four - AA (1.5V) Alkaline batteries.
- Designed to fit standard door prep – \varnothing 2-1/8" cross bore. No extra mounting hole required.
- RFID – 13.56MHz RFID card storage up to 99 user card.
- TOUCHPAD - up to 30 different user codes for door access.
- User codes length 4-10 digits.
- User RFID card or codes can be deleted individually or all at once.
- Easy to restore factory settings.
- Security protection for invalid RFID or code input.
- Low power consumption and low battery notification.
- LED illumination, able to operate in the dark.

deadbolt specification

function	Single Cylinder Deadbolt
door prep	Cross bore: 2-1/8" Edge bore: 1"
backset	Adjustable 2-3/8" and 2-3/4"
door thickness	Fits 1-3/8" ~ 1-3/4"
cylinder	KW1 standard.
faceplate	1" x 2-1/4" round corner, and Drive-In.
strike	9117 – 1-3/4" x 2-1/4" full lip strike
latch	Full 1" throw, Stainless steel bolt with hardened steel rod insert. Adjustable 4-way design, standard with Mortise round corner, can be changed to Drive-In latch.
door handing	Reversible, electronic detection.

Suggested Combination



Easy to Install



Keyless Access



RFID Protection



Battery Powered

deadbolt type

200PLC Touch Pad Deadbolt with RFID

200PLR RFID Deadbolt

CitiLoc® Contemporary Lever & Deadbolts

1 QUALITY

- a All metal construction
- b All exposed components are brass or stainless steel
- c Nickel plated brass key

2 SECURITY

- a 5 pin tumbler cylinder
- b Solid brass cylinder core
- c Adjustable 2³/₈" or 2³/₄" backset dead latch on entrance function

3 FUNCTIONS AVAILABLE

- a Entrance Set - 100T
- b Passage Set - 101T
- c Privacy Set - 102T
- d Dummy - 115T
- e Single Cylinder Deadbolt -200S
- f One Sided (Half Bore) -205S

4 KEYING

- a KA, KD, MK, MCK

5 CONVENIENCE

- a Cylinder removable for rekeying
- b Adj. for 1³/₈" ~ 1³/₄" door thickness
- c 2³/₈" ~ 2³/₄" adjustable backset
- d Easy installation
- e Cylinders available in both "K" Way(5 pin) & "S" C-Way (5 pin)


6 FINISHES AVAILABLE

- a Bright Chrome **US26**
- b Satin Nickel **US15**
- c Tuscany Bronze **US12P**
- d Matte Black **US19**


"CitiLoc®" levers are exquisitely designed with free-flowing curves and smooth edges. They add a stylish touch while making doors easier to open and close.



SCOTTSDALE (ST)
US26



200S
US15



US12P



US15



US19



US26

AVAILABLE FINISHES

CitiLoc® Entrance Handlesets 400 Series

1 QUALITY

- a All metal construction
- b Nickel plated brass key

2 SECURITY

- a Full 1" throw deadbolt
- b 5 pin tumbler cylinder
- c Hardened steel rod insert prevents sawing

3 FUNCTIONS AVAILABLE

- a Single Cylinder Deadbolt -400
- b Double Cylinder Deadbolt -410

4 KEYING


- a KA, KD, MK, MCK

5 CONVENIENCE


- a Cylinder removable for rekeying
- b Adj. for 1³/₈" ~ 1³/₄" door thickness
- c 2³/₈" ~ 2³/₄" adjustable backset
- d Easy installation
- e Cylinders available in both "K" Way (5 pin) & "S" C-Way (5 pin)

6 FINISHES AVAILABLE

- a Bright Brass **US3**
- b Bright Chrome **US26**
- c Satin Nickel **US15**
- d Tuscany Bronze **US12P**



CORNELL (CO)
US3



PRINCETON (PR)
US15

- Elegance and affordability.
- Available in two distinctive styles to compliment a range of home décor.
- Split finishes and other interior styles are optional upon request.



AVAILABLE FINISHES



1-800-545-2309

CitiLoc® Knob Design Lockset 100 Series

1 QUALITY

- a All metal construction
- b All exposed components are brass or stainless steel
- c Nickel plated brass key

2 SECURITY

- a 5 pin tumbler cylinder
- b Solid brass cylinder core
- c Adjustable 2³/₈" or 2³/₄" backset dead latch on entrance function


3 FUNCTIONS AVAILABLE

- a Entrance Set - 100T
- b Passage Set - 101T
- c Privacy Set - 102T
- d Bathroom Set - 103T
- e Dummy - 115T

"CitiLoc®" knobs offers outstanding strength and durability at a reasonable price. The elegant designs are highlighted by natural curves for comfort and ease of turning. This series is composed entirely of metal and features "easy-install" thus reducing installation time.



DEL MAR (DM)
US26



EXQUIS (EQ)
US3

4 KEYING

- a KA, KD, MK, MCK

5 CONVENIENCE

- a Cylinder removable for rekeying
- b Adj. for 1³/₈" ~ 1³/₄" door thickness
- c 2³/₈" ~ 2³/₄" adjustable backset
- d Easy installation
- e Cylinders available in both "K" Way(5 pin) & "S" C-Way (5 pin)

6 FINISHES AVAILABLE

- a Bright Brass **US3**
- b Bright Chrome **US26**
- c Satin Nickel **US15**
- d Matte Black **US19**
- e Tuscany Bronze **US12P**

* Not all styles available in all finishes, please call to check.



BENTON (BE)
US15



MARQUETTE (MQ)
US12P

CitiLoc® Lever Design Lockset 500 Series

1 QUALITY

- a Metal construction
- b Nickel plated brass key

2 SECURITY

- a 5 pin tumbler cylinder
- b Solid brass cylinder core
- c Adjustable 2³/₈" or 2³/₄" backset dead latch on entrance function

3 FUNCTIONS AVAILABLE

- a Entrance Set - 500T
- b Passage Set - 501T
- c Privacy Set - 502T
- d Bathroom Set - 503T
- e Dummy - 515T

- f Entrance Push Button - 500TP
 - g Privacy Push Button - 502TP
- * Not all styles are available with push button

4 KEYING

- a KA, KD, MK, MCK

5 CONVENIENCE

- a Cylinder removable for rekeying
- b Adj. for 1³/₈" ~ 1³/₄" door thickness
- c 2³/₈" ~ 2³/₄" adjustable backset
- d Easy installation
- e Cylinders available in both "K" Way (5 pin) & "S" C-Way (5 pin)

6 FINISHES AVAILABLE

- a Bright Brass **US3**
- b Bright Chrome **US26**
- c Satin Nickel **US15**
- d Matte Black **US19**
- e Tuscan Bronze **US12P**


* Not all styles available in all finishes, please call to check.

Our levers are exquisitely designed with free-flowing curves and smooth edges. They add a stylish touch while making doors easier to open and close.

ARCADIA (AR)
US15




LAKE TAHOE (LT)
US3



FLORENCE (FR)
US26



VIENNA (VI)
US12P



500TP/502TP
Push Button
available



US3



US12P



US15



US19



US26

**KNOB & LEVER
AVAILABLE FINISHES**

QUEEN (QN)
US15



1-800-545-2309

CitiLoc® Lever Design Lockset 500 Series



PHOENIX (PX)
US19



BROOKLYN (BK)
US15



SOUTH BAY (SB)
US15



HICKORY (HC)
US12P



CitiLoc® Single & Double Cylinder Deadbolt 200 Series

“CitiLoc®” single and double cylinder function deadbolts are engineered precisely for years of reliable security. The all metal construction is featured in a variety of finishes to coordinate with other door hardware to enhance and highlight appearance.



**Double
Cylinder
Deadbolt**




**Single
Cylinder
Deadbolt**



**One Sided
Deadbolt
(Full Bore)**



**One Sided
Deadbolt
(Half Bore)**



AVAILABLE FINISHES



US3



US12P



US15



US19



US26




US32D



1-800-545-2309



9092 Adjustable 2-3/8" or 2-3/4" backset mortise in latch for dead latch
* UL Latch available



9093 Adjustable 2-3/8" or 2-3/4" backset drive-in for deadbolt latch



9073 Adjustable 2-3/8" or 2-3/4" backset mortise dead latch
*UL Latch available



9075 Adjustable 2-3/8" or 2-3/4" backset drive-in dead latch



9074 Adjustable 2-3/8" or 2-3/4" backset mortise spring latch *UL Latch available



9076 Adjustable 2-3/8" or 2-3/4" backset drive-in spring latch



LISTED UL latch optional



9103 Full lip with adjustable tab 1/4" radius round corner 2-1/4"



9102 Full lip with adjustable tab Square Corner 2-1/4"



9117 Full lip 1/4" radius round corner 2-1/4"



9111 Rectangular 1-1/8" x 2-3/4"



9112 Rectangular 1" x 2-1/4"



9113 Rectangular 1/4" radius round corner 1" x 2-1/4"



9119 Rectangular 1/4" radius Security Strike 1-1/4" x 3-5/8"



9119F Full Lip 1/4" radius Security Strike 1-7/8" x 3-7/8"



9782 Rectangular 1" x 2-1/4" Latch Plate



9783 Rectangular 1/4" radius round corner 1" x 2-1/4" Latch Plate




9301 Keying Kit



9201 Key Blank

CitiLoc® Sliding & Round Pocket Door Locks



Passage US19




Privacy US15

SPECIFICATIONS

Door Prep
Door Fitting
Exposed Trim
Strike

2-1/4" H x 1-3/4" W notch.
1-3/8" ~ 1-3/4" door thick.
Brass, stainless steel, or zinc alloy.
1" x 2-1/4" rectangular.



Fits 2-1/8" cross bore
2-3/8" fixed
backset latch

Passage US15



Privacy US15



1-800-545-2309

Contemporary Design


DEXTON HANDLESET

AM SERIES LEVER




HOLLYWOOD (HW)

US15




SOHO RC (SH) US26

Round Rosette



SOHO SQ (SH) US15

Square Rosette




AUSTIN (AT)

US26



DEXTON (DT)
US26



FINISHES



US15
Satin Nickel



US19
Matte Black




US26
Polish Chrome



US26D
Satin Chrome
(SOHO & Deadbolt only)


Spring Latches for AM Series (SH/HW/AT)

Optional: G90A3T square corner



G90A3R

Mortise Spring Latch
2-3/8" or 2-3/4" adjustable backset
1" x 2-1/4" Round Corner Faceplate




G90A3C

Drive-in Spring Latch
2-3/8" or 2-3/4" adjustable backset
1" Diameter

D927



Spring latch drive-in cap for converting
mortise latch to Drive-in Latch



9782-square 9783-round

4-way plate is available for
converting drive-in latch to
1" x 2-1/4" square mortise latch.




5-1/2" CTC INTERCONNECTED LOCK IP / IQ / IS


200LT DEADBOLT




IP
US26



IP - AM Series lever on both side.
IQ - 500T Series lever on both side.
IS - 500T Series lever outside,
AM series lever inside.



LTR
US26



SPECIFICATIONS

Door Prep
Door Fitting

2-1/8" cross bore, 1" edge bore.
Handleset: 1-3/8"~1-3/4", 2" door with thick door kit.
Deadbolt/Lever 1-3/8"~2".

Cylinder
Latch

KW1 standard, SC1 optional.
2-3/8" and 2-3/4" adjustable.
UL latch optional.

Latch Bolt


Deabolt: 1" throw.
Lever: 1/2" throw.

Strike
Door Handing
ADA

2-1/4" full lip round corner.
Handleset/Privacy Lever: handed (specify LH or RH when ordering).
Deadbolt Interior turn piece & Privacy Lever with Push Button.
Meets 4.13.9 ADA requirements.



LTS
US26



ANSI Grade 3


Entrance Design

HANDLESETS



CHATEAU (CH)
US12P

**5-1/2" CTC
Inteconnected
Handleset**



MAYFAIR (MA)
US19



IMPERIAL (IM)
US15



KELLINGTON (KN)
US12P


4" CTC IL SERIES



300IL-SD-US15
San Diego (SD) Lever



301IL-CT-US15
Charlotte (CT) Lever



ANSI Grade 2

Lever Design

500T SERIES LOCKSETS



ROYAL (RY)
US15



MANHATTAN (MH)
US19



ESCORT (ET)
US3



PALMER (PA)
US26



SHELBY (SY)
US12P



JURAN (JU)
US15



CAMBER (CM)
US15

Knob Design

100T SERIES LOCKSETS



RUBY (RB)
US12P



OLYMPUS (OS)
US19



BALA (BA)
US32D




GUARDIAN (GN)
US32D



COMBOSET
300T Series

300T
US32D




9782-square 9783-round

4-way plate is available for converting drive-in latch to 1" x 2-1/4" square mortise latch.


Dead Latches for 500TZ Entrance

Optional: 9045 square corner



9045R

Mortise Dead Latch
2-3/8" or 2-3/4" adjustable backset
1" x 2-1/4" Round Corner Faceplate



9045C

Drive-in Dead Latch
2-3/8" or 2-3/4" adjustable backset
1" Diameter


D924



Dead latch drive-in cap for converting mortise latch to Drive-in Latch


Spring Latches for 101T, 102T, 501TZ, 502TZ

Optional: 9072 square corner



9074

Mortise Spring Latch
2-3/8" or 2-3/4" adjustable backset
1" x 2-1/4" Round Corner Faceplate



9076

Drive-in Spring Latch
2-3/8" or 2-3/4" adjustable backset
1" Diameter


D907



Spring latch drive-in cap for converting mortise latch to Drive-in Latch


Dead Latches for 100T Entrance

Optional: 9071 square corner



9073

Mortise Dead Latch
2-3/8" or 2-3/4" adjustable backset
1" x 2-1/4" Round Corner Faceplate



9075

Drive-in Dead Latch
2-3/8" or 2-3/4" adjustable backset
1" Diameter

D904



Dead latch drive-in cap for converting mortise latch to Drive-in Latch

ANSI Grade 3

Deadbolt

200B SERIES



SINGLE CYLINDER
US3



DOUBLE CYLINDER
US3




ONE SIDED (Full Bore)
US32D




ONE SIDED (Half Bore)
US32D

Latches for 200B

Optional: 9091 square corner
9091UL UL square corner
9092UL UL round corner



9092
Mortise Deadbolt Latch
2-3/8" or 2-3/4" adjustable backset
1" x 2-1/4" Round Corner Faceplate



9093
Drive-in Deadbolt Latch
2-3/8" or 2-3/4" adjustable backset
1" Diameter

D909 Deadbolt latch drive-in cap for converting mortise latch to Drive-in Latch

FINISHES



PVD
Lifetime



US19
Matte Black



US12P
Tuscany Bronze



US15
Satin Nickel



US26
Polish Chrome

Not all styles available in all finishes, please call to check.

Accessories

Lock Strikes



9101
1-1/8" x 2-3/4"
"T" type with tab



9102
1-3/4" x 2-1/4"
Full lip with tab
square corner



9103
1-3/4" x 2-1/4"
Full lip with tab
1/4" radius round corner



9108
1-3/4" Dia.
Circular Adjustable
Drive-In Strike

Deadbolt Strikes



9111
1-1/8" x 2-3/4"
Rectangular
square corner



9112
1" x 2-1/4"
Rectangular
square corner



9113
1" x 2-1/4"
Rectangular
1/4" radius
round corner



9117
1-3/4" x 2-1/4"
Full lip
1/4" radius
round corner



9119
1-1/4" x 3-5/8"
Security strike
1/4" radius
round corner




9119F
1-7/8" x 3-5/8"
Full Lip
Security Strike
1/4" radius
round corner


Keys



KW1 5-Pins



SC1 5-Pins



SC4 6-Pins



9301-K
KW1

9301-S
SC1 & SC4

Availability



SERIES	ITEM	ABBREV.	US3	US12P	US15	US19	US26	US26D	US32D
			605		619	622	625	626	630
HANDLESETS									
400 Series Interconnected	CHATEAU	(CH)		●					
400 Series 2PC Type	DEXTON	(DT)		●	●	●	●		
	IMPERIAL	(IM)		●	●	●	●		
	KELLINGTON	(KN)		●	●	●	●		
	MAYFAIR	(MA)		●	●		●		
INTERCONNECTED LEVER LOCK									
301 IS / IQ / IP Series 5-1/2" Center to Center	IS				●		●		
	IQ				●		●		
	IP				●		●		
IL Series 4" Center to Center					●	●			
LEVER LOCK									
500T Series	CAMBER	(CM)		●	●				
	ESCORT	(ET)	●		●	●		●	
	JURAN	(JU)	●	●	●	●	●		
	MANHATTAN	(MH)			●	●	●		
	PALMER	(PA)	●	●	●	●	●		
	ROYAL	(RY)	●	●	●	●	●		
	SHELBY	(SY)		●	●				
500AM Series	AUSTIN	(AT)		●	●		●		
Contemporary Lever	HOLLYWOOD	(HW)			●		●		
	SOHO	(SH)			●		●	●	
KNOB LOCK									
100T Series	BALA	(BA)	●	●		●	●		●
	GUARDIAN	(GN)							●
	OLYMPUS	(OS)	●	●		●	●		
	RUBY	(RB)	●	●	●	●	●		
COMBO LOCK									
300T Series	BALA	(BA)	●						●
	GUARDIAN	(GN)	●						●
	OLYMPUS	(OS)	●						●
DEADBOLT LOCK									
200B Series			●	●	●	●	●	●	●
200LTS/LTR Series Contemporary Deadbolt					●		●	●	

● Product available in stock. Please refer to price book for details.

Other finishes may be available upon request. Please allow longer lead time, min. 300 locks order.

DISTRIBUTION BY:



Philadelphia Hardware Group Inc.

SAN DIEGO DISTRIBUTION CENTER

(Home Office)
6590 Top Gun Street
San Diego, CA 92121
Tel: (858) 642-0450
Fax: (858) 642-0454
Toll Free Tel: 1-800-545-2309
Toll Free Fax: 1-800-828-0988
www.philihardware.com

CHICAGO DISTRIBUTION CENTER

3687 Darlene Court
Aurora, IL 60504
Toll Free Tel: 1-800-545-2309

DALLAS DISTRIBUTION CENTER

2611 Irving Boulevard
Dallas, TX 75207
Toll Free Tel: 1-800-545-2309

ATLANTA DISTRIBUTION CENTER

422 Thornton Road, Suite 105
Lithia Springs, GA 30122
Toll Free Tel: 1-800-545-2309

